No.8 Yuandong Road,Kouan Town Gaogang,
Taizhou City,Jiangsu Province,P.R.CHINA 225321
0523- 86908085
0523- 86908351
info@roosin.com
http://www.roosin.com

FOAM DRESSING (NON BORDERED)

PRODUCT DESCRIPTION

Product is a kind of disposable sterile product, soft texture, and high fluid uptake. The main function of components in polyurethane foam products can absorb a lot of wound infiltration of liquid, maintain a wet healing environment for the wound, promote wound healing, reduce secondary damage when switching.






STRUCTURE PERFORMANCE

1）Product composition and structure

Products are mainly composed of polyurethane foam and polyurethane film. Ordinary foam consists of fixed specifications of polyurethane foam and polyurethane film.

Island foam is mainly composed of three layers structure, basement membrane is PU adhesive tape or hydrocolloid dressing with thin and PU, the core is polyurethane foam and polyurethane film. The facial mask is the separation membrane:



2）Product performance description

a、High liquid uptake
b、Promote wound healing
c、No scab healing and reduce scar
d、It doesn't stick to the wound
e、Use convenience and comfort

FUNDAMENTAL PRINCIPLE

Products can form and maintain a moist wound healing environment, when the wound has large seepage drainage, the product can absorb the drainage. Under a moist wound healing environment, a variety of growth factors released in favor of promoting wound healing, stimulate cell proliferation, helps maintain cell vitality, the wound exudates fiber cell growth factor, epidermal growth factor and platelet-derived growth factor content is higher than no humid environment, and these exudates can also promote the growth of Cultured fibroblasts, keratinocytes and endothelial cells. At the same time, the moist environment may speed up the skin cell migration, due to the healing process of the wet environment wound is unscabbed, and it is beneficial to the migration of epidermal cells and the healing ofwound.

METHOD OFUSE

1) Wash the wound with normal saline.
2) After the skin around the wound is dry, select the suitable size of the product (When necessary to cut the shape of the products), and the product should cover the wound completely.
3) If you use island type products, tear off the mask and apply the product to the wound. If you use ordinary products, please fix with secondary dressing.

SCOPE OF APPLICATION

Applicable to the shallow antrum and the inactivation of deep wounds, such as lower extremity venous ulcer, Ⅱ Ⅳ period for pressure ulcers, diabetic foot ulcers, skin area cuts, bruises, incision, etc.) or hollow wound surface and radiation injury of granulation tissue.

CONTRAIN-DICATIONS

1） This product is not suitable for a small amount of drainage or the dry wound.
2） Wound infection must be careful after control.

PRECAUTIONS

1） This product is a disposable sterile product. It is strictly prohibited to reuse the product. Packaging damage is disabled.
2） Please use it within the validity period. Read the instructions carefully before use.

STORAGE CONDITIONS

No corrosive gas, a cool, well ventilated, clean room and room temperature preservation.

SIZE

Ordinary(non-bordered)		
120X190mm	210x220mm	200x200mm
With PU		
100X100mm	150x150mm	200x200mm
Island without hydrocolloid (bordered)		
100X100mm	150x150mm	200x200mm
Island with hydrocolloid		
100X100mm	150x150mm	200x200mm

Note: Size can be customized

EC REP: Prolinx GmbH
Brehmstr.56,
40239 Duesseldorf Germany

STERILE R

No.8 Yuandong Road,Kouan Town Gaogang,
Taizhou City,Jiangsu Province,P.R.CHINA 225321
0523- 86908085
0523- 86908351
info@roosin.com
http://www.roosin.com

ΑΦΡΩΔΗ ΕΠΙΘΕΜΑΤΑ (ΜΗ ΚΟΛΛΗΤΙΚΑ)

ΠΕΡΙΓΡΑΦΗ ΠΡΟΙΟΝΤΟΣ


Αποστειρωμένο προϊόν μιας χρήσης, απαλής υφής και υψηλής πρόσληψης υγρών. Η κύρια λειτουργία των συστατικών επιθεματων αφρού πολυουρεθάνης, ειναι η εξαιρετικη απορροφήση υγρων σε τραυματα , η διατηρήση υγρου περιβάλλοντος επούλωσης για την πληγή και η προωθηση της επούλωσης τραυμάτων.Τελος μειώνει τη δευτερογενή βλαβη κατά την αλλαγή.





ΔΟΜΗ ΚΑΙ ΛΕΙΤΟΥΡΓΕΙΑ

Σύνθεση και δομή προϊόντος
Τα επιθεματα αποτελούνται κυρίως από αφρό πολυουρεθάνης και ταινια πολυιουρεθανης. Το συνηθες αφρωδες επιθεμα αποτελείται από καθορισμένες προδιαγραφές αφρού πολυουρεθάνης και στρωματος-ταινιας
Τα αφρωδη επιθεματα νησιδος αποτελουνται κυρίως από δομή τριών στρωμάτων, η βασική μεμβράνη είναι κολλητική ταινία PU ή επικάλυψη υδροκολλοειδούς με λεπτό και PU, ο πυρήνας είναι αφρός πολυουρεθάνης και πολυουρεθάνη Ηεπανω μεμβρανη είναι η μεμβράνη διαχωρισμού:



Περιγραφή χαρακτηριστικων επιθεματος
α. Υψηλή πρόσληψη υγρού
β. Προώθηση της επούλωσης πληγών
γ. επούλωση ελκων και μείωση της ουλής
δ. Δεν κολλάει στην πληγή
ε Χρησιμοποιειται με ευκολία και άνεση

ΒΑΣΙΚΕΣ ΑΡΧΕΣ

Το προϊόν μπορεί να σχηματίσει και να διατηρήσει ένα υγρό περιβάλλον επούλωσης πληγών. Όταν το τραύμα είναι στεγνό, το προϊόν θα παρέχει υγρασία στην πληγή. Όταν η πληγή έχει μικρή ποσότητα διαρροής, το προϊόν μπορεί να απορροφήσει την περίσσεια υγρού. ο υγρό περιβάλλον της πληγής, είναι χρήσιμο για μια ποικιλία απελευθέρωσης αυξητικού παράγοντα που μπορεί να προάγει την επούλωση των πληγών, να διεγείρει τον πολλαπλασιασμό των κυττάρων, να διατηρήσει τη ζωτικότητα των κυττάρων. Ο αυξητικός παράγοντας των κυττάρικων ινών, ο επιδερμικός αυξητικός παράγοντας και η περιεκτικότητα του εξιδρώματος τραύματος που απορρέει από αιμοπετάλια είναι υψηλότερη από εκείνη του
μη υγρου περιβάλλοντος,
Ταυτόχρονα, το υγρό περιβάλλον μπορεί να επιταχύνει το ρυθμό αναπλασης των επιδερμικών κυττάρων.

ΤΡΟΠΟΙ ΧΡΗΣΗΣ

1） Πλύνετε την πληγή με φυσιολογικό ορό.
2） Αφού στεγνώσει το δέρμα γύρω από την πληγή, επιλέξτε το κατάλληλο μέγεθος του προϊόντος και το προϊόν πρέπει να καλύψει πλήρως την πληγή.
3） Εάν χρησιμοποιείτε το προϊόν τύπου νησιδος, σκίστε το σημειο απελευθερωσης και εφαρμόστε το προϊόν στο τραύμα και έπειτα σχίστε την πίσω επένδυση και κλειστε την στο δέρμα. Εάν χρησιμοποιείτε συνηθισμένο προϊόν,επικαλυψτε με δευτερεύον επιθεμα.

ΣΚΟΠΟΣ ΕΦΑΡΜΟΓΗΣ

Ισχύει για το ρηχό άντρο και την αποκατασταση βαθιών τραυμάτων, όπως φλεβικό έλκος κάτω άκρου 2η και 4η περιοδο ελκων πιεσης , διαβητικά έλκη ποδιών, τραυματα δερματος, μώλωπες, τομες κ.λπ.) για κοίλη επιφάνεια τραύματος και τραυματισμό απο ακτινοβολία κοκκοποίησης ιστου.

ΑΝΤΕΝΔΕΙΞΕΙΣ

1） Αυτό το προϊόν δεν είναι κατάλληλο για μικρή απορροφηση ή ξηρό τραύμα.
2) Ο ελεγχος πρεπει να ναι σχολαστικος προς αποφυγη λοιμωξεων.

ΠΡΟΦΥΛΑΞΕΙΣ

1） Αυτό το προϊόν είναι ένα αποστειρωμένο προϊόν μιας χρήσης. Απαγορεύεται αυστηρά η επαναχρησιμοποίηση του προϊόντος.
2） Χρησιμοποιήστε το εντός της περιόδου ισχύος. Διαβάστε προσεκτικά τις οδηγίες πριν από τη χρήση.

ΣΥΝΘΗΚΕΣ ΔΙΑΤΗΡΗΣΗΣ

Διατηρηστε τη συσκευασια σφραγίσμενη, χωρις φως, σε δροσερό και ξηρό μέρος για αποθήκευση.

ΜΕΓΕΘΗ

ΑΠΛΟ ΚΟΛΛΗΤΙΚΟ		
120X190mm	210x220mm	200x200mm
ΜΕ PU		
100X100mm	150x150mm	200x200mm
ΝΗΣΙΔΑ ΧΩΡΙΣ ΥΔΡΟΚΟΛΛΟΕΙΔΕΣ ΚΟΛΛΗΤΙΚΟ		
100X100mm	150x150mm	200x200mm
ΝΗΣΙΔΑ ΜΕ ΥΔΡΟΚΟΛΛΟΕΙΔΕΣ		
100X100mm	150x150mm	200x200mm

ΣΗΜΕΙΩΣΗ.ΤΑ ΜΕΓΕΘΗ ΕΙΝΑΙ ΕΝΔΕΙΚΤΙΚΑ .ΥΠΑΡΧΟΥΝ ΟΛΕΣ ΟΙ ΔΙΑΣΤΑΣΕΙΣ

EC REP: Prolinx GmbH
Brehmstr.56,
40239 Duesseldorf Germany